

Gender-Specific Life Expectancy in Europe 1850–2010

Edited by Martin Dinges and Andreas Weigl

MedGG-Beiheft 58

Franz Steiner Verlag Stuttgart

Gender-Specific Life Expectancy in Europe 1850–2010



Gender-Specific Life Expectancy in Europe 1850–2010

Medizin, Gesellschaft und Geschichte

Jahrbuch
des Instituts für Geschichte der Medizin
der Robert Bosch Stiftung

herausgegeben von
Robert Jütte

Beiheft 58

Gender-Specific Life Expectancy in Europe 1850–2010

Edited by Martin Dinges / Andreas Weigl



Franz Steiner Verlag Stuttgart
2016

Gedruckt mit freundlicher Unterstützung der Robert Bosch Stiftung GmbH

Coverabbildung:

Gruppenbild rauchende Soldaten in Esnes, Frankreich, 1916.

© Privatarhiv Jan Selmer – www.zeitensprung.de

Bibliografische Information der Deutschen Nationalbibliothek:

Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detaillierte bibliografische Daten sind im Internet über [<http://dnb.d-nb.de>](http://dnb.d-nb.de) abrufbar.

Dieses Werk einschließlich aller seiner Teile ist urheberrechtlich geschützt. Jede Verwertung außerhalb der engen Grenzen des Urheberrechtsgesetzes ist unzulässig und strafbar.

© Franz Steiner Verlag, Stuttgart 2016

Druck: Laupp & Göbel GmbH, Nehren

Gedruckt auf säurefreiem, alterungsbeständigem Papier.

Printed in Germany

ISBN 978-3-515-11258-1 (Print)

ISBN 978-3-515-11275-8 (E-Book)

The drifting apart of gender-specific life expectancies in Europe 1850–2010

Some introductory remarks

Andreas Weigl

At least as far as the last two or three decades are concerned there can be no doubt that the gender gap in life expectancy has become a topical research issue in a number of separate scientific disciplines, both in the natural and the social sciences. There is an obviously increasing demand for gender studies on health behaviour and its consequences on health policies on a national, European and international level. The conclusive common ground is nevertheless limited, because these studies are based on two quite contradictory approaches: the biological on the one hand and the behavioural and environmental on the other hand. Due to the fact that methods and “scientific cultures” of these approaches differ widely it is not surprising that general conclusions are rare and often more or less simple enumerations of factors from both sides. But there are some exceptions. Some authors have attempted to calculate crude weightings of biological and “cultural” influences¹, while others argued more cautiously by stressing the need for more “intersectional” approaches in studies of both health related behaviour and mortality.² In 2005 a convincing model of gender health inequality was elaborated by Birgit Babitsch, who teaches New Public Health at the University of Osnabrück. The three level model (macro/meso/micro) integrated both behavioural and biological factors, though the focus is predominantly on the former.³ Unfortunately for the question of the gender gap in life expectancy, the results of Babitsch’s study based on German data is only to some extent helpful, because understanding morbidity differentials by either sex or gender does not necessarily lead to a full understanding of differentials in mortality. In general one receives the impression that there is still a wide methodological gap to overcome. It can be shown easily that even scientists who gained degrees in the humanities and in the natural sciences tend to stress or neglect either the biological or the behavioural factors.⁴

Therefore there are still a lot of open questions to be answered and multidisciplinary remains “wishful thinking”. This does not only apply to research in the natural versus social sciences, but also to the problem of social and historical disciplines. The social sciences in particular have given little attention to the historical roots of gender-specific lifestyles and the long-term transformation of gender roles, while – since the “cultural turn” in the study of history

1 Johansson, 1991; Luy 2002a.

2 Waldron, 2000, p. 177.

3 Babitsch, 2005, pp. 138–141.

4 Austad, 2006.

– many historians have largely ignored quantitative research. Fortunately, there is one discipline that is rooted in both fields. Demography has – to a certain extent – managed to consider the historical view as well as include the findings of other social sciences and the natural sciences in its analyses.

The late nineteenth and twentieth centuries are of particular interest for historical research into the gender gap in life expectancy in the industrialized world. Because this period is very close to the present it allows the use of historical findings as a means of enhancing recent research into women's and men's mortality. In addition, the encouraging availability of data – compared with the early modern period – and, not least, the remarkable development of the gender gap during that period offers the chance to gain a deeper understanding from international comparisons. The comparison of Northern, Western and Central Europe in this volume was chosen for pragmatic reasons because these countries offer a sufficiently wide range of gender gap variations and the actual state of research is sufficient for a relatively differentiated comparison.⁵ Nevertheless, it would certainly make sense in further research to include eastern and southern Europe as well as non-European industrialized countries in the picture.

As mentioned before, specific research in the natural and cultural sciences proves that the gender gap can best be explained against the background of a combination of biological, genetic and behavioural factors. The significance of these factors is, however, disputed. Research in communities with very similar living conditions for men and women provides evidence that the gender gap has only a minor biological component. Following almost identical results from investigation of the general population and that of monasteries, it was rated for adults at one year or one and a half years at the most.⁶ This figure is higher, however, when we include the influence of biological factors on behavioural roles.⁷ Genetic-biological factors that influence the gender gap are best proved with babies, since in babies, and to a limited extent also in young children, acquired gender-specific behaviours hardly influence the excess mortality of boys. Although infant mortality decreased substantially in late nineteenth and twentieth century Europe, an advantage persisted for girls in their first year of life. Based on an analysis of infant mortality by major causes of death Ingrid Waldron has shown that there are multiple sex differences in biology and not all of them are a disadvantage for male infants. "The available evidence suggests that males have inherently greater vulnerability for mortality due to perinatal conditions and for total mortality in the neonatal period, but the assumption that males have a pervasive inherent disadvantage is incorrect for some types of congenital anomalies, and is of uncertain validity for

5 Unfortunately it was not possible to find colleagues to present the French case; but cf. Vallin / Meslé, 1988, chap. 12, pp. 467–505, for a differentiated analysis of the causes of death and their contribution to the gender gap until 1978.

6 Luy, 2002a, p. 424.

7 Ritzmann, 2001, p. 70.

infectious diseases and total mortality in early childhood.”⁸ This indicates that, although the weight of infant mortality for the overall gender gap in mortality is almost fading away, further medical and biological studies in this field should not be ignored.

Although the attempts to estimate the components of the gender gap are quite valuable to adjust downwards popular estimates in the medical sciences⁹ I would suggest that we should consider the combination of biological and behavioural factors not only as a simple equation of “ $a + b = c$ ”. If newborn girls come with a basic gender-specific advantage – and there is much to support this assumption – this advantage can be tapped to a greater or lesser extent during their lives. Furthermore, recent medical research also shows that a person’s basic genetic disposition can be improved or made worse during their lifetime.¹⁰ Splitting the causes of the gender gap into behavioural-“social” and “biological” factors is therefore an auxiliary structure that supports a statistically more complex situation.

While biological explanations of the gender gap due to the recent rise of genetics seem to me to gain greater importance again in medical research – which would mean that older medical explanatory models are staging a comeback – the social sciences, social medicine included, underscore the part played by gender-specific behaviour patterns and lifestyles. Their findings are corroborated by those of historians, but the interpretations of these findings differ widely. While some see the gender gap in life expectancy as proof of the provocative thesis, formulated by Martin van Creveld, that women are a “privileged sex”¹¹ or that men are “health idiots”¹², others, such as Maria Danielson and Gudrun Lindberg, speak of a “new gender paradox”: This new gender paradox implies that women live longer than men despite the fact that they continue to be discriminated against in society.¹³ The old paradox – dismissed by Danielson and Lindberg – states the alleged greater health impairment of women compared to men.¹⁴ From this old paradox it was no big step to DFLE (disability-free life expectancy) and HALE (health-adjusted life expectancy), concepts that basically made the gender gap in industrialized countries in the disability-free part of the life span disappear because, on average, women suffer from chronic disease for longer periods of time. This is a fact documented by a huge number of studies. But the definition of such severe health conditions remains vague and assessment of such values is biased as a result of national statistical traditions. In addition one gets the impression that the interpretation of the results of studies based on these concepts is strongly

8 Waldron, 1998, p. 79.

9 See for instance Klotz, 1998, p. 101, who prorates 60% of the gender gap to genetic-biological factors.

10 Tammen / Friso / Choi, 2013.

11 Van Creveld, 2003.

12 Dinges, 2005, p. 512.

13 Danielson / Lindberg, 2001, p. 61.

14 Babitsch, 2005, p. 65.

influenced by the current political gender agenda in the European Union, which is hardly focused on male disadvantages in public health.¹⁵ Introducing such concepts as the DFLE and the HALE may be justified with a view to gender-specific health policies, but it does not really help to explain the gender gap in life expectancy. On the contrary: it raises a new question: Why is it that women survive chronic illness for longer than men? If this question is not explained by gender-specific biological differences alone, it continues to be a field of research in social medicine.

But what insights can be expected from a comparative historical view? From the late nineteenth century the widening of the gender gap in life expectancy became a European phenomenon that continued into the 1980s, in eastern European transition countries even beyond the fall of the Iron Curtain in 1989. This widening varied, however, in the various countries and groups of countries, a fact that points to the influence of “exogenous” factors such as the two world wars, but not least also to different economic and social developments with regard to the working world and gender roles.

Richard Wilkinson and Kate Pickett have shown in a recent comparative study that within the group of countries with high GDPs per head a more even income distribution and an advanced health care system contribute to a general high level of life expectancy.¹⁶ This strengthens the argument that economic well-being is a key factor for a narrowing of the gap, but it reveals that the relationship is more complex. Even if the relatively small gender gap in life expectancy of some Scandinavian countries and the Netherlands needs to be seen in the context of economic vitality and modern societal structures, economic inequality, which was and is low in some North European welfare states, can clearly not adequately explain the development of the gender gap in industrialized countries during the twentieth century, because the last three decades saw a narrowing of the gender gap in life expectancy and a widening of economic inequality, not to mention the fact that beside undisputable discrimination of women in many developing countries the gender gap in favour of the female population was a global phenomenon in the early twenty-first century. I refer in particular to the headline of an editorial in a 2006 issue of the *British Medical Journal*: Life expectancy: Women are now on top everywhere!¹⁷

While many pertinent studies, such as the British *Black Report* of 1982¹⁸, show a considerable gradient for life expectancy depending on income and education (as a proxy), the range is much smaller with women than it is with men. Studies from other countries, including Austria, show that the life expectancy of a female labourer was and still is as high or even higher as that of an

15 For a critical discussion see Dinges / Weigl, 2011, p. 198, fn. 20.

16 Wilkinson / Pickett 2009.

17 Barford et al., 2006.

18 Black, 1992.

academic.¹⁹ According to Pierre Bourdieu's capital theory²⁰ this is a strong hint that the uneven distribution of "social capital" must be included in the analysis too. There is much to support the view that women have the better "social capital" due to their traditional gender roles and possibly also due to their biological make-up.

As mentioned before, some demographic studies have successfully refuted explanations of the gender gap that are based on purely biological premises. For instance in the long-term comparison of monastic populations (monks and nuns) with the general population, Marc Luy was able to present compelling evidence that – at least for adults – it was mostly the male gender roles and the strains of working life (stress at work, consumption of addictive substances) that enhanced the widening of the gender gap during the twentieth century.²¹ Luy's study results therefore refer to a specific field of inequality research, the research into people's lifestyles. Unfortunately, gender-specific lifestyles have so far not been the preferred subject of sociological research.²² The few existing studies certainly present a wide range of differing gender "health behaviours", in particular on the male side.²³ On the basis of a cluster analysis a Swiss study showed a statistically significant connection, for men, between "somatic culture" and social milieu but not social class.²⁴ In addition, this study stressed the fact that men in general still often need to justify body-sensitive health behaviours.²⁵ This need for justification is clearly fed by the explanation pattern that became popular in the 1950s, which claims that the excess male mortality was the price to be paid for modern (Fordist) work situations and a male-dominated success-oriented working world – the rise of the male manager.²⁶

Making the changes in the working world during the twentieth century alone responsible for the growing gap in life expectancy up to the 1980s would be a questionable step, however. The service societies that emerged in Europe in the last decades of the twentieth century and the parallel exodus of (heavy) industries to developing countries obviously reduced the physical hazards of the working world and this has affected men in particular. Accident statistics and the drop in what is termed "occupational diseases" also support this observation although the male/female-ratio in this respect is quite stable.²⁷ But this says nothing about mental stress which seems to be an influential factor if one considers the prominent mortality due to cardiovascular disease and can-

19 Klotz, 2008, p. 150.

20 Bourdieu, 1992, pp. 49–79.

21 Luy, 2003, pp. 647–676.

22 Abel, 1999, pp. 43–61.

23 Robertson, 2007, p. 156; Nettleton / Watson, 1998; Ervø / Johansson, 2003; Schneider 2002.

24 Nideröst, 2007, p. 97, 106.

25 Robertson, 2007, p. 63.

26 Forth, 2008, p. 205; Ehrenreich, 1983, p. 70.

27 For instance in Austria in the time period 1970–2012 the ratio is about 3 to 1. See Statistik Austria, 2014, pp. 84–89.

cer. Given the established high shares of high-ranking male managers and full time jobs in general this could explain the still existing higher mortality of men, at least in cardiovascular disease.²⁸ The uneven distribution of time spent on childrearing and housework between female and male employees is still present and diminishing rather slowly.²⁹ The question that remains unanswered is whether there are gender-specific differences in respect of stress-related mortality. For the last three decades the narrowing of the gender gap at least coincides with an interpretation of stress as an equalizer of male and female mortality, seeing that the incidence of “burnout-related diseases” has risen among the highly-qualified female workforce as well. The same is true for the shrinking of the gap in gender-specific consumption of nicotine and alcohol that has been demonstrated by studies for many industrialized countries.³⁰

This brings us to another question that has, in my opinion, still not been sufficiently answered and that relates to the long-term effect of the two world wars. Although some crude estimates are available,³¹ the effect of chronic illness, war injuries and other morbidities caused by the war is not easy to measure and certainly goes beyond these “direct” consequences. As a recent study based on an evaluation of (West-)German, Austrian and Swiss “popular autobiographies” has shown, even the long term mental consequences of wars are a very complex issue. In her thesis on gender specific discourse and health-related lifestyles Susanne Hoffmann stressed the point that there is evidence of a positive judgement of severe war-injuries, because wounding could bring soldiers out of danger zones, at least as far as surviving soldiers are concerned.³² On the contrary, it is possible that the two wars played a part in retaining and reinforcing images of a “military masculinity” – after World War II transformed in male economic competition in the “battlefield” of the labour market³³, at least among the men of age groups that were actively involved in the war or educated during war times, and therefore in further widening the gender gap. New insights will emerge in this volume from the comparison of countries and populations that were, to various degrees, involved in the wars.

To summarize: for a long term perspective on the gender gap in life expectancy in the “long” twentieth century the following questions are particularly relevant:

1. Why did the gender gap in life expectancy widen in a time period when sectoral change and automation in manufacturing reduced the disadvantages of the male working population, at least as far as physical strains (in factories, in the construction business) were concerned.

28 Siegrist, 2010, p. 79.

29 See i. e. McGinnity / Russell, 2008.

30 Johansson 1991, p. 157.

31 Haudidier, 1996; Höhn, 1996

32 Hoffmann, 2010, pp. 288–299.

33 Hanisch, 2005, pp. 118–121.

2. What are the long-term effects of the two World Wars, since the effect of war and the consumption of addictive substances overlap? A comparison between nations involved in the war and neutral states would allow for a more accurate evaluation of this factor.
3. Considering the partly diametrically opposed developments of female labour force participation, a comparison of the gender gap in West and East Germany from 1949 to 1989 or between countries with a long tradition of high female labour force participation (Sweden) and countries with the opposite tendency (FRG, Switzerland, Austria) would be particularly interesting regarding the influence factor “world of work”.

Comparing the state of research in the various countries into sub-disciplines relevant to this question – such as (historical) demography, economic and social history, the history of medicine, social medicine and gender research – might also yield synergies and new insights, especially as far as the reduction of the gender gap in life expectancy in highly developed countries in the last three decades is concerned.

What links the demographic case studies collected in this volume is a long term perspective with a focus on the twentieth century. The course of the gender gap over 150 years in the advanced Atlantic economies of North-West Europe has been elaborated by Alice Reid and Chris Dibben in their study on gender specific mortality trends over the epidemiological transition on the British mainland including the “national patterns” of England/Wales and Scotland, and by Frans van Poppel and Fanny Janssen on the Netherlands. Given the differing involvement of these countries this also opens insights into the deteriorating effects of World War I. Based on a smaller set of data these effects were discussed by Andreas Weigl in his article on Austria in the first half of the twentieth century as well, though his main focus is on the changing working environment. The Austrian experience of a reduction of the gender gap in life expectancy since the 1980s is discussed by Johannes Klotz. Klotz stresses the importance of high education for the particular convergence of male and female life expectancy, reinforcing academics as a “vanguard group”. A different methodological approach is presented by Marc Luy. Luy’s comparison of Catholic order members and the overall German (East and West) population in the second half of the twentieth century is embedded in a broad overview of the biological/non biological factors-debate that traces, as he demonstrates, back to the eighteenth century. Furthermore, like several other contributions of this volume, Luy’s study also includes an analysis of non-biological factors like smoking. A comparison of the Benelux experience is another interesting issue. It is no big surprise that Patric Deboosere’s case study on the gender gap in Belgium in the nineteenth and twentieth century shows important similarities as well as differences compared to the Netherlands. The same could be said of the neutral countries Switzerland and Sweden. An overview of the much more fluctuating Swedish trends in the gender gap is given by Sam Willner, while Örjan Hemström (like Johannes Klotz in the case of Austria) discusses the reasons for the narrowing of the gap in the

last decades. Although Switzerland, like Sweden, was not involved in both World Wars, the Swiss case is much more “Central European” than “Scandinavian” as the papers of Raymond Kohli in general and Christoph Junker by analysis of cause specific mortality show

The questions I have outlined and those raised in the case studies and the editors’ résumé in this volume do, of course, not constitute all the questions that are still open with regard to the gender gap in life expectancy and not all of them should be seen in a long term perspective. But even if one focuses on the most recent changes in the gender gap, social history cannot be ignored. As an analysis based on meta-data of 72 recent studies on the subject reveals, specific male subpopulations are in all probability the core factor of the gender gap in life expectancy in present industrialized countries.³⁴ If this conclusion is correct, public health programs focusing on these specific subpopulations certainly need a historical perspective for a deeper understanding of these risk groups including socialization, representations of masculinity and many more factors. Almost all these factors are in a wider sense embedded in social, economic, cultural history. To conclude: history matters in the long run.

Bibliography:

- Abel, T.: Gesundheitsrelevante Lebensstile: Zur Verbindung von handlungs- und strukturtheoretischen. In: Aspekten in der modernen Ungleichheitsforschung. In: Mäder, Christoph; Burton-Jeangros Claudine; Haour-Knipe, Mary (eds.): *Gesundheit, Medizin und Gesellschaft. Beiträge zur Soziologie der Gesellschaft*, Zurich 1999, pp. 43–61.
- Austad, Steven N.: Why Women Live Longer Than Men: Sex Differences in Longevity. In: *Gender Medicine Vol. 3 No. 2*, 2006, pp. 79–92.
- Babitsch, Birgit: *Soziale Ungleichheit, Geschlecht und Gesundheit*, Bern 2005.
- Barford, Anna et al.: Life expectancy: women now on top everywhere. In: *British Medical Journal* 332 (2006), p. 808.
- Black, Douglas et al.: The Black Report. In: *Inequalities in Health*, Harmondsworth 1992, pp. 29–213.
- Bourdieu, Pierre: *Die verborgenen Mechanismen der Macht*, Hamburg 1997.
- Danielson, Maria; Lindberg, Gudrun: Differences between men’s and women’s health: The old and the new gender paradoxon. In: Piroška, Östlin et al. (eds.): *Gender Inequalities in Health. A Swedish Perspective*, Cambridge (Mass.) 2001, pp. 23–66.
- Dinges, Martin: Die Gene sind nicht schuld. 200 Jahre Männergesundheit. In: *Pflegezeitschrift* 8/2005, pp. 508–512.
- Dinges, Martin; Weigl, Andreas: Männergesundheit als Forschungsthema der Sozial- und Kulturwissenschaften. In: *Gesundheit und Geschlecht (Österreichische Zeitschrift für Geschichtswissenschaften* 22/2 (2011), pp. 191–199.
- Dinkel, Rainer (ed.), *Sterblichkeitsentwicklung unter besonderer Berücksichtigung des Kohortenansatzes*, München 1996.
- Ervo, Søren; Johansson, Thomas (eds.): *Bending Bodies, Moulding Masculinities*, Hants/Burlington 2003.
- Ehrenreich, Barbara: *The Hearts of Men: American Dreams and the Flight from Responsibility*, New York 1983.

34 Luy / Gast, 2013.

- Forth, Christopher E.: *Masculinity in the Modern West. Gender, Civilization and the Body*, Houndmills; New York 2008.
- Hanisch, Ernst: *Männlichkeiten. Eine andere Geschichte des 20. Jahrhunderts*, Vienna-Cologne-Weimar 2005.
- Haudidier, Benoit: Vergleich der Sterblichkeitsentwicklung in der Bundesrepublik Deutschland und Frankreich 1950–1898. In: Dinkel, 1996, pp. 139–152.
- Höhn, Charlotte: Kohortensterblichkeit unter besonderer Berücksichtigung der Weltkriege. In: Dinkel, 1996, pp. 45–65.
- Hoffmann, Susanne: *Gesunder Alltag im 20. Jahrhundert? Geschlechterspezifische Diskurse und gesundheitsrelevante Verhaltensstile in deutschsprachigen Ländern (Medizin, Gesellschaft und Geschichte 36)*, Stuttgart 2010.
- Klotz, Johannes: Convergence or divergence of educational disparities in mortality and morbidity? The evolution of life expectancy by educational attainment in Austria in 1981–2006. In: *Vienna Yearbook of Population Research* 8 (2010), pp. 139–174.
- Klotz, Thedor: *Der frühe Tod des starken Geschlechts. Unterschiede im Gesundheits- und Krankheitszustand von Männern und Frauen*, Göttingen 1998.
- Luy, Marc: Die geschlechtsspezifischen Sterblichkeitsunterschiede – Zeit für eine Zwischenbilanz. In: *Zeitschrift für Gerontologische Geriatrie* 35 (2002a), pp. 412–429.
- Luy, Marc: Warum Frauen länger leben. Antworten durch einen Vergleich von Kloster- und Allgemeinbevölkerung, Wiesbaden 2002b.
- Luy, Marc: Causes of Male Excess Mortality: Insights from Cloistered Populations. In: *Population and Development Review* 29 (2003), pp. 647–676.
- Luy Marc; Gast, Katrin: Do Women Live Longer or Do Men Die Earlier? Reflections on the Causes of Sex Differences in Life Expectancy. In: *Gerontology* November 2013.
- McGinnity, Frances; Russell, Helen: *Gender Inequalities in Time Use. The Distribution of Caring, Housework and Employment Among Women and Men in Ireland*, Dublin 2008.
- Nettleton, Sarah; Watson, Jonathan (eds.): *The Body in Everyday Life*, London; New York 1998.
- Nideröst, Sibylle: *Männer, Körper und Gesundheit. Somatische Kultur und soziale Milieus bei Männern*, Bern 2007.
- Ritzmann, Iris: Die Frage nach dem “kleinen Unterschied” vor dem Tod und seinen Hintergründen – von der göttlichen Ordnung zur chromosomalen Determination. In: *Bulletin der Schweizerischen Gesellschaft für Anthropologie* 7(2) (2001), pp. 51–71.
- Robertson, Steve: *Understanding Men and Health. Masculinities, Identity and Well-being*, Maidenhead 2007.
- Schneider, Sven: *Lebensstil und Mortalität*, Wiesbaden 2002.
- Siegrist, Johannes: Arbeit, Arbeitslosigkeit und Gesundheit. In: Bardehle, Doris; Stiehler, Matthias (eds.): *Erster Deutscher Männergesundheitsbericht. Ein Pilotbericht*, Munich 2010, pp. 72–86.
- Statistik Austria: *Demographische Indikatoren 1961–2012. Erweiterte Zeitreihe für Österreich*, Vienna 2014.
- Tammen, Stephanie A.; Friso, Simonetta; Choi, Sang-Woon: Epigenetics: the link between nature and nurture. In: *Molecular Aspects of Medicine* 34/4 (2013), 753–764.
- Van Creveld, Martin: *Das bevorzugte Geschlecht*, Munich 2003.
- Vallin, Jacques; Meslé, France: *Les causes de décès en France de 1925 à 1978*, Paris 1988.
- Waldron, Ingrid: Sex differences in infant and early childhood mortality: major causes of death and possible biological causes. In: *United Nations: Too young to die: genes or gender*, New York 1998, pp. 64–83.
- Waldron, Ingrid: Trends in gender differences in mortality: Relationships to changing gender differences in behaviour and other causal factors. In: Annandale, Ellen; Hunt, Kate (eds.): *Gender Inequalities in health*, Buckingham 2000, pp. 150–181.
- Wilkinson, Richard; Pickett, Kate: *The Spirit Level. Why More Equal Societies Almost Always Do Better*, London 2009.